

SMART Board® 7000 Pro series

Our flagship interactive display with the most advanced touch, writing and collaboration features for enhanced productivity and faster breakthroughs.

75" | 86" -

Walk in and it turns on

Dual proximity sensors automatically power up the SMART Board 7000 when you walk in the room saving time.

As natural as writing on paper

HyPr Touch[™] technology provides lag-free writing precision and automatically identifies pen color and eraser tool.

Easy input access and preview

See and switch input sources on the screen and easily connect computers and accessories to the front convenience panel.





SMART Meeting Pro

subscription included with service plan







Unparalleled Collaborative Experience

Today's workflows are about going beyond communicating to collaborating. SMART has spent 30 years designing hardware and software solutions that work together to create interactive environments.



Multiple users, tools and colors at the same time

Simultaneous Tool Differentiation frees multiple colleagues to write, erase and move notes at the same time. **Pen ID**[™] recognition and **Object** awareness[™] detection automatically make pens write in different colors, fingers move and palms erase.



Write and save notes directly into applications

SMART Ink® software lets teams write over videos and into PDFs, Microsoft Office® files and websites, then save notes in almost any file type. Automatically convert notes to text and access tools, such as spotlight, magnifier and screen shade.

Built to use. Built to last.

Durable and commercial-grade, SMART Board Pro displays have received many safety, regulatory and environmental certifications, giving you peace of mind that they adhere to government or other regulatory requirements.

- 4K Ultra HD resolution
- Accelerated Life Testing







Silktouch[™] frictionless surface



Conflict-free materials and sourcing

Regulatory and environmental certifications*







3-year standard warranty** (1-year on pens)



SMART Remote Management lets you efficiently maintain, secure and support all your devices - including SMART Board displays with iQ.

*See specification chart for detailed certifications.

**1- or 2-year extended options available. 5-year standard in UK.



Do More in Your Workspaces

Together with **SMART collaboration software** and **iQ embedded computing** options, SMART Board Pro displays enable fast, flexible and limitless collaboration.

SMART collaboration software is designed to give teams endless ways to brainstorm, innovate and share content.

♦ SMART TeamWorks[™] software

With one-touch meeting launch, a connected whiteboard, wireless screen sharing and PDF summaries, SMART TeamWorks is your end-to-end collaboration solution.

SMART Meeting Pro[®] software

Capture ideas in the Unbound Workspace that expands as colleagues add images, files, links and notes – even over multiple displays and meetings.

iQ embedded computing puts everything teams need in one place at the touch of a finger -

without extra hardware or apps.



iQ provides teams one-touch access to collaboration tools including a whiteboard, web browser, apps library and native, wireless screen sharing.



Give your team access to Microsoft Office files and applications on a full Windows 10 Pro computer right at the display by adding an Intel® Compute Card to iQ.

Get the most out of your SMART solution

We're with you every step of the way. Our business services, training and technical support resources provide peace of mind that your technology investment will provide results.



Business Services Maximize uptime and protect your investment with SMART's flexible, comprehensive business service plans to meet your unique support needs.



Training

From quick-reference guides to video tutorials, SMART offers a wealth of free training resources to ensure quick adoption of your technology solutions.



Technical Support

From our global installation services to onsite repair, receive expert support from SMART, with the experience and knowledge to ensure effective operations.

Platinum Partner:



Unit 6, Plot 22018, Kgomokasitwa Rd, Gaborone West Industrial. Tel: (+267) 3928 427 Fax: (+267) 3928 428 Email: info@empiresynergy.co.bw Website: www.empiresynergy.co.bw





© 2019 SMART Technologies. All rights reserved. SMART Board, SMART Notebook, SMART Ink, HyPr Touch, Object Awareness, Pen ID, Silktouch, the SMART logo and all SMART taglines and product logos are trademarks or registered trademarks of SMART Technologies in the U.S. and/or other countries. All thirdparty product and company names are for identification purposes only and may be trademarks of their respective owners. 012319





	7275P	7375P	7286P	7386P
SMART Meeting Pro	1-year subscription included with	1-year subscription included with	1-year subscription included with	1-year subscription included with
room and 10 personal licenses	purchase of a service plan	purchase of a service plan	purchase of a service plan	purchase of a service plan
MART TeamWorks	Optional	Optional	Optional	Optional
Q apps and features	Customizable home screen	Customizable home screen	Customizable home screen	Customizable home screen
	Input preview Digital whiteboard	Input preview Digital whiteboard	Digital whiteboard	Input preview Digital whiteboard
	Web browser	Web browser	Web browser	Web browser
	Native screen sharing File and app libraries	Native screen sharing File and app libraries	Native screen sharing File and app libraries	Native screen sharing File and app libraries
ntel Compute Card with	Upgrade option available	Included. Options available.	Upgrade option available	Included. Options available.
Windows 10 Pro	Ontional	See smarttech.com/iQ for details.	Optional	See smarttech.com/iQ for details. Optional
SMART Remote Management	Optional	Optional	Optional	Optional
Screen size (diagonal)	75"	75"	86"	86"
Resolution	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz	60 Hz
Aspect ratio	16:9	16:9	16:9	16:9
Back lighting	e-LED	e-LED	e-LED	e-LED
.ED lifespan	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hour
.CD quality	Grade A	Grade A	Grade A	Grade A
Contrast ratio	5000:1	5000:1	5000:1	5000:1
Brightness	360 cd/m ²	360 cd/m ²	360 cd/m ²	360 cd/m ²
Response time	8 ms	8 ms	8 ms	8 ms
Glass	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare
OUCH AND DIGITAL INK	·, ······, ·····, ····	·, ·····	·, ·····	,
ouch technology	HyPr Touch (based on InGlass™)	HyPr Touch (based on InGlass)	HyPr Touch (based on InGlass)	HyPr Touch (based on InGlass)
Simultaneous Tool Differentiation	√	,	√	√
Dbject awareness	J	1	J	1
Pen ID	✓	1	~	✓
MART Ink	~	J	~	1
ilktouch	√	√	✓	1
simultaneous touch points	16 (10 touch, 4 pens, 2 erasers)	16 (10 touch, 4 pens, 2 erasers)	16 (10 touch, 4 pens, 2 erasers)	16 (10 touch, 4 pens, 2 erasers)
ools included	4 pens (black, red, blue, green)	4 pens (black, red, blue, green)	4 pens (black, red, blue, green)	4 pens (black, red, blue, green)
atallia ant magnetic non trav	1 eraser	1 eraser	1eraser ✓	1eraser ✓
ntelligent magnetic pen tray	v	Ŷ	v	~
Q APPLIANCE Nodel	AM40	AM50	AM40	AM50
Operating system	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat
	RK3399, Dual-core A72 +	RK3399, Dual-core A72 +	RK3399, Dual-core A72 +	RK3399, Dual-core A72 +
Processor	Quad-core A53, 64 bits, 2 GHz	Quad-core A53, 64 bits, 2 GHz	Quad-core A53, 64 bits, 2 GHz	Quad-core A53, 64 bits, 2 GHz
Memory	4 GB	4 GB	4 GB	4 GB
Storage	32 GB	32 GB	32 GB	32 GB
Wireless technology	Bluetooth 4.1	Bluetooth 4.1	Bluetooth 4.1	Bluetooth 4.1
	802.11A/B/G/N/Ac	802.11A/B/G/N/Ac	802.11A/B/G/N/Ac	802.11A/B/G/N/Ac
Connectors	HDMI 1.4 out USB 3.0 Type-A (×2)	HDMI 1.4 out USB 3.0 Type-A (×2)	HDMI 1.4 out USB 3.0 Type-A (×2)	HDMI 1.4 out USB 3.0 Type-A (×2)
	RJ45 Gigabit Ethernet	RJ45 Gigabit Ethernet	RJ45 Gigabit Ethernet	RJ45 Gigabit Ethernet
CONNECTIVITY			1	
Wired	RJ45 (×2)	RJ45 (×2)	RJ45 (×2)	RJ45 (×2)
Vi-Fi	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)
Bluetooth	4.0 dual mode (backwards	4.0 dual mode (backwards	4.0 dual mode (backwards	4.0 dual mode (backwards
5.621000	compatible with Bluetooth 2.1+	compatible with Bluetooth 2.1+	compatible with Bluetooth 2.1+	compatible with Bluetooth 2.1+
	EDR)	EDR)	EDR)	EDR)
NPUTS/OUTPUTS	1	I.	1	1
Convenience panel	Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute USB-A (×2), USB-B (touch), HDMI i
/ideo	HDMI 2.0 (4K 60 Hz), HDMI 1.4,	HDMI 2.0 (4K 60 Hz), HDMI 1.4,	HDMI 2.0 (4K 60 Hz), HDMI 1.4,	HDMI 2.0 (4K 60 Hz), HDMI 1.4,
	HDMI out (HDCP-compliant),	HDMI out (HDCP-compliant),	HDMI out (HDCP-compliant),	HDMI out (HDCP-compliant),
A 11	Display Port, VGA	Display Port, VGA	Display Port, VGA	Display Port, VGA
Audio	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out
JSB	Type-A (×3), Type-B (touch) (×4)	Type-A (×3), Type-B (touch) (×4)	Type-A (×3), Type-B (touch) (×4)	Type-A (×3), Type-B (touch) (×4)
Other	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out
Speakers	10 W integrated speakers (×2)	10 W integrated speakers (×2)	10 W integrated speakers (×2)	10 W integrated speakers (×2)
POWER				
Power consumption (display only)	<2 W standby, 135 W normal	<2 W standby, 135 W normal	<2 W standby, 160 W normal	<2 W standby, 160 W normal
Presence detection	✓ Dual sensors	✓ Dual sensors	V Dual sensors	V Dual sensors
NSTALLATION	20013013013			24013613013
Dimensions	69" × 43 1/8" × 4 7/8"	69" × 43 1/8" × 4 7/8"	78 3/4" × 48 5/8" × 5 5/8"	78 3/4" × 48 5/8" × 5 5/8"
	(175.4 cm × 109.5 cm × 12.4 cm)	(175.4 cm × 109.5 cm × 12.4 cm)	(200.1 cm × 123.5 cm × 14.2 cm)	(200.1 cm × 123.5 cm × 14.2 cm)
Weight	227 lb. (103 kg)	227 lb. (103 kg)	258 lb. (117 kg)	258 lb. (117 kg)
/ESA mounting points	600 mm × 400 mm	600 mm × 400 mm	600 mm × 400 mm	600 mm × 400 mm
CERTIFICATIONS AND COMPI				
Regulatory certifications	EU RED and LV Directives, ISED,	EU RED and LV Directives, ISED,	EU RED and LV Directives, ISED,	EU RED and LV Directives, ISED,
	cUL, FCC, UL, RCM, CITIC, TRA	CUL, FCC, UL, RCM, CITIC, TRA	cUL, FCC, UL, RCM, CITIC, TRA	CUL, FCC, UL, RCM, CITIC, TRA
Environmental compliance	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG
	Packaging, California Prop 65	Packaging, California Prop 65	Packaging, California Prop 65	Packaging, California Prop 65
Full HDMI and USB compliance	↓ ↓	√	√ √	✓
Accelerated Life Testing	1	√	1	✓